




ALWAYS
THE BEST
**FLEXIBLE
SAFETY
BARRIERS**

 **PROFENSA**
Professional Safety Fence

Reseller of

 **mpm**
FLEXIBLE PROTECTIONS

NOVEMBER 2021




PRESENTS **NEW MATERIALS**



CONTENTS

01	Rack Protection	page 08	09	Column Protection	page 64
02	Bollard	page 20	10	Door Frame Protections	page 72
03	Guard Rails	page 24	11	Loading Bay Protection	page 78
04	Cold Line	page 30	12	Wheel Stop	page 80
05	Pedestrian Safety Barriers	page 38	13	Cable Cover	page 84
06	Gates	page 44	14	Corner Protection	page 86
07	Link	page 50	15	Kerb	page 88
08	BFlex	page 58	16	Wall Protection	page 92



OUR MATERIALS



REFLEX

RESISTANT AND FLEXIBLE

RESISTANT OVER TIME

HIGH ELASTICITY

COMPLIANT WITH THE DIRECTIVE UE 2015/863 (ROHS)

100% RICYCLABLE

SELF EXTINGUISHING V0

SCRATCHPROOF MATERIAL

HIGH VISIBILITY AND NO PAINTING REQUIRED

EASY TO CLEAN

ROT-PROOF AND NORMALLY MILDEW-PROOF MATERIAL

NO TOXIC

RESISTANT TO CHEMICALS OIL AND FUELS

RESISTANT TO HUMIDITY AND SALINITY

FROSTEX

RESISTANT TO LOW TEMPERATURES

TEMPERATURE RANGE: -30° + 50° C

HIGH ELASTICITY

COMPLIANT WITH THE DIRECTIVE UE 2015/863 (ROHS)

100% RICYCLABLE

HB FLAMMABILITY RATING ACCORDING TO UL 94

SUITABLE FOR FOOD CONTACT

HIGH VISIBILITY AND NO PAINTING REQUIRED

RESISTANT TO CHEMICALS OIL AND FUELS

ROT-PROOF AND NORMALLY MILDEW-PROOF MATERIAL


NO TOXIC

RESISTANT TO HUMIDITY AND SALINITY

RESEARCH AND DEVELOPMENT NEVER STOP!

PIN SYSTEM

PED 150 PIN



PED 200 PIN



NEWS

RESEARCH AND DEVELOPMENT NEVER STOP!

ORANGE LINE

AVAILABLE FOR:
LM / PED 150 /
TOWER

HIGHER
VISIBILITY
FOR A GREATER
SAFETY!

CLIP 90



EASY TO
INSTALL

CUSTOMIZE
YOUR BARRIER

MORE
VISIBILITY

WORKSTATION

BIG SIZE
UP TO 2500 x 940

DIFFERENT
SIZES ON
REQUEST


GENIUS 
THE LENGTH THAT YOU WISH

CUT THE RAIL AND DRILL IT
WITH GENIUS 



WORLD'S UNIQUE SYSTEM!
YOUR CUSTOMIZED BARRIER AND HUG TOWER

SAFETY TOTEM



AVAILABLE IN **FOUR** VERSIONS

01

RACK PROTECTION


OUR PROFILES FIT ALL RACKS

Full range of techno polymer profiles for protection of warehouse racks.

Gamma completa di profili in tecnopolimeri per la protezione di scaffali.

Complète gamme de profilés en tecnopolimère pour la protection d'étagères de dépôts.

Gama completa de perfiles de tecnopolímeros para las protecciones de estanterías.




- ▶ **One big central shock absorber** in soft material to absorb front impacts.
- ▶ **Two side shock absorbers** in soft material to absorb impact during pallet placement on the rack.
- ▶ **Tested and certified** to EN 15512
- ▶ **Reduced dimensions** to keep manoeuvring spaces clear.
- ▶ **Interlocking system** with practical click-fit tools.
- ▶ **Rigid outer cladding, scratch-resistant** and easy to clean.



RPS / RPM / RPL

EASY TO INSTALL

THE ONLY ONE WITH TRIPLE SHOCK ABSORBER



CUSTOMIZED SOLUTIONS TO FIT ALL UPRIGHTS



RPS 600

Small

Available also size 400



Packing 6 pz / box
Packing 115 pz / big parcel
Colour M



RPM 600

Medium

Available also size 400



Packing 4 pz / box
Packing 80 pz / big parcel
Colour M



RPL 600

Large

Available also size 400



Packing 2 pz / box
Packing 52 pz / big parcel
Colour M



RPL XL 600

Extra Large

Available also size 400



Packing to be defined
Colour M




RP CLICK

Packing 1 pz / box




RACK CORNER



RACK CORNER

Equipped with accessories

Packing Colour **M** to be defined




M12 GALVANISED STEEL



SM 1100x400

Equipped with accessories


Length 1.100
Packing unpacked on pallet
Colour **B** **M**



SM 1500x400 MODULAR

Equipped with accessories

Packing Colour **B** **M** unpacked on pallet



Rack end Barriers

LM



DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL




M12 GALVANISED STEEL



LM 1100x500
2400x500

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour B M




Equipped with accessories



LM 2000x500 MODULAR

Packing unpacked on pallet
Colour B M



Equipped with accessories



NEW

LM/1 LINK



Rack end Barriers

DIFFERENT SIZES ON REQUEST




M12 GALVANISED STEEL



LM/1 LINK 1100x500
2400x500

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour B M




Equipped with accessories



LM / 1 LINK 2000x500
MODULAR

Packing unpacked on pallet
Colour B M



Equipped with accessories



LINK SINGLE RE





DIFFERENT SIZES ON REQUEST




LINK SINGLE RE 1100x500
1100x800
2400x500
2400x800

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour B M



LINK SINGLE 2000x500 MODULAR
LINK SINGLE 2000x800 MODULAR

Packing unpacked on pallet
Colour B M



LINK LM RE





DIFFERENT SIZES ON REQUEST




LINK LM RE 1100x500
1100x800
2400x500
2400x800

Length 1.100 / 2.400 mm
Packing unpacked on pallet
Colour B M



LINK LM 2000x500 MODULAR
LINK LM 2000x800 MODULAR

Packing unpacked on pallet
Colour B M



FENCE 90



DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL




M12
GALVANISED STEEL



FE 90 1100x400

Length
Packing
Colour
B M



Equipped with accessories



FE 90 2400x400

Length
Packing
Colour
B M



Equipped with accessories



FENCE 150



DIFFERENT
SIZES ON
REQUEST

FAST
AND EASY
TO INSTALL



M12
GALVANISED STEEL



FE 150 1100x550

Length
Packing
Colour
B M



Equipped with accessories



FE 150 2400x550

Length
Packing
Colour
B M



Equipped with accessories



FENCE 150 REINFORCED



DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL



M12 GALVANISED STEEL



FE 150 REF 1100x550

Length 1.100 mm
Packing unpacked on pallet
Colour B M



Equipped with accessories



FE 150 REF 2400x550

Length 2.400 mm
Packing unpacked on pallet
Colour B M



Equipped with accessories



FENCE LINK



DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL




M12 GALVANISED STEEL



FE LINK 1100x550

Length 1.100 mm
Packing unpacked on pallet
Colour B M




Equipped with accessories



FE LINK 2400x550

Length 2.400 mm
Packing unpacked on pallet
Colour B M



Equipped with accessories



02

BOLLARD

Designed to protect access to gates or big doors from huge traffic or simply to mark restricted areas for pedestrians.
Fully equipped with fixing accessories.

Ideato per proteggere l'accesso a cancelli o portoni dalla movimentazione di mezzi pesanti o semplicemente per impedire l'ingresso di pedoni. Provisto di accessori di fissaggio.

Étudié pour protéger l'accès aux portes ou entrées de grand trafic ou simplement pour marquer les zones de passage piétons. Equipé avec les accessoires d'installation.

Diseñado para proteger el acceso a puertas o portones del movimiento de vehículos pesados o simplemente para evitar la entrada de peatones. Provisto de accesorios de fijación.



GRD 90



Bollard

FAST
AND EASY
TO INSTALL



M12
GALVANISED STEEL




GRD 90 250

Equipped with accessories

Packing
Colour

unpacked on pallet
B M



GRD 150




M12
GALVANISED STEEL




GRD 150 500
800
1150

Equipped with accessories


Packing Colour unpacked on pallet
B M



GRD 200




INCLUDED



FLEXIBLE

NEW
ANTISHOCK
BUMPER



S16
GALVANISED STEEL



GRD 200 1200
2000

Equipped with accessories

Packing Colour unpacked on pallet
M



03

GUARD
RAILS

A new bumper system specific for the protection of the walls resistant against trolleys movements. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.



Sistema profili antiurto specifico per la protezione delle pareti dai carrelli in movimento. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les murs contre les mouvements des chariots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.

Sistema de perfiles anti-impacto específico para la protección de las paredes de los carros en movimiento. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.



GUARD RAIL 90



QUICK
INSTALLATION
WITH
EXPANSION
SCREW



M16
GALVANISED STEEL




ALTERNATIVE FIXING
HIGH RESISTANCE WITH RESIN
SF16
STAINLESS STEEL



GR 90 500
750
1000
1500


Length 500 mm
Packing unpacked on pallet
Length 750 / 1000 / 1500 mm
Packing 2 pz / box

Colour B M



GR 90 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M



GUARD RAIL 150



HIGH
RESISTANCE
WITH
RESIN




SF20
STAINLESS STEEL




GR 150 500
750
1000
1500

Length 500 / 750 /
1000 / 1500 mm
Packing unpacked on pallet
Colour B M




GR 150 2000
3000
4000

Length 2.000 / 3.000 / 4.000 mm
Packing unpacked on pallet
Colour B M




GRIN 90



GRIN 90 1500

Length 1500 mm
Packing to be defined
Colour M



GRINCO 90

Packing to be defined
Colour M



Equipped with accessories



GRINT 90

Packing to be defined
Colour M



Equipped with accessories




GRIN 150



GRIN 150 2000

Length 2000 mm
Packing to be defined
Colour M



GRINCO 150

Packing to be defined
Colour M



Equipped with accessories



GRINT 150

Packing to be defined
Colour M



Equipped with accessories



04


COLD LINE

Specific solutions for the protection of areas at risk of impact, in environments with negative temperature. They are suitable to protect corners, entrances, gates, panels and cold rooms walls.

Soluzioni specifiche per la protezione di zone a rischio d'impatto in ambienti a temperatura negativa. Ideali per proteggere angoli sporgenti, accessi e portoni, pannelli e pareti di celle frigorifere.

Solutions spécifiques pour la protection des zones à risque de collision dans les environnements à température négative. Idéal pour protéger les angles, les entrées et les portes, les panneaux et les murs des chambres froides.

Soluciones específicas para proteger las zonas con riesgo de impacto en entornos de temperatura negativa. Son ideales para proteger esquinas, entradas y puertas, paneles y paredes de las cámaras frigoríficas.




RESISTANT
TO LOW
TEMPERATURES

FROSTEX
RESISTANT TO LOW TEMPERATURES



ROD 70




Fixing accessory available also in stainless steel




ROD 70 266

Drill Ø 38
Equipped with accessories

Packing Colour
1 pz / box
M



ROD 120




Fixing accessory available also in stainless steel



ROD 120 433
560
800

Drill Ø 56
Equipped with accessories

Packing Colour
1 pz / bag
M




ROD FLOOR 70



QUICK
INSTALLATION
WITH
EXPANSION
SCREW




M16
GALVANISED STEEL



RF 70 500
1000
1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 70 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories





ROD FLOOR 120



HIGH
RESISTANCE
WITH
RESIN




SF20
STAINLESS STEEL



RF 120 500
1000
1100
1500

Length 500 / 1000 / 1100 / 1500 mm
Packing unpacked on pallet
Colour M




Equipped with accessories



RF 120 2000
2500
3000

Length 2.000 / 2.100 / 3.000 mm
Packing unpacked on pallet
Colour M



Equipped with accessories



ROD FLOOR 120 DOUBLE RE



HEAVY LOAD /
FOR FORKLIFTS



HIGH
RESISTANCE
WITH
RESIN



SF20 x 450
STAINLESS STEEL





-30°
RESISTANT TO
LOW TEMPERATURES



350

NOT SHARP EDGES

	RF 120 DOUBLE 1100	Length Packing Colour	1100 mm unpacked on pallet M	
Equipped with accessories				
	RF 120 DOUBLE 2500	Length Packing Colour	2.500 mm unpacked on pallet M	
Equipped with accessories				



ROD FLOOR 120 DOUBLE



HEAVY LOAD /
FOR FORKLIFTS




HIGH
RESISTANCE
WITH
RESIN





SF20 x 450
STAINLESS STEEL



-30°
RESISTANT TO
LOW TEMPERATURES



350

	RF 120 DOUBLE 500 1000 1500	Length Packing Colour	500 / 1000 / 1500 mm unpacked on pallet M	
Equipped with accessories				
	RF 120 DOUBLE 2000 3000	Length Packing Colour	2.000 / 3.000 mm unpacked on pallet M	
Equipped with accessories				



05

PEDESTRIAN SAFETY BARRIERS

A new protection system specific for the protection of pedestrians and resistant to trolleys movements with different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different lengths.

Sistema di profili antiurto specifico per la protezione delle aree pedonali dai carrelli in movimento con diverse portate di carico. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibile in diverse lunghezze.

Nouveau système bumper, spécifique pour protéger les zones piétonnes contre les mouvements des charriots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents longueurs.


Sistema específico de perfiles antichoque para la protección de zonas peatonales de carros en movimiento con diferentes capacidades de carga. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes longitudes.



HAND RAIL 90



FAST
AND EASY
TO INSTALL





M12
GALVANISED STEEL



**HR 90 1500x1150
MODULAR**

Packing Colour **unpacked on pallet**
M


Equipped with accessories



**HR 90 1500x1150
CORNER**

Packing Colour **unpacked on pallet**
M

Equipped with accessories



PEDESTRIAN 90




FAST
AND EASY
TO INSTALL



PED 90 1500x1150
MODULAR

Equipped with accessories


Packing Colour
unpacked on pallet



PED 90 1500x1150
CORNER

Equipped with accessories

Packing Colour
unpacked on pallet



PEDESTRIAN 150




FAST
AND EASY
TO INSTALL



PED 150 2000x1150
MODULAR

Equipped with accessories

Packing Colour
unpacked on pallet



PED 150 2000x1150
CORNER

Equipped with accessories

Packing Colour
unpacked on pallet



PEDESTRIAN 90 REINFORCED




M12 GALVANISED STEEL



PED 90 REF MODULAR

Packing Colour **unpacked on pallet**
B M



Equipped with accessories



PEDESTRIAN 150 LINK



M12 GALVANISED STEEL



PED 150 LINK

External Corners available

Packing Colour **unpacked on pallet**
B M



Equipped with accessories



06

GATES

Safety gate system with different opening possibilities, ideated to be installed on our pedestrian barriers. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different opening systems.

Sistema di cancelli antiurto ideati per l'installazione nelle nostre barriere di protezione per aree pedonali. Progettati seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nelle fasi di installazione e pulizia. Disponibili molteplici sistemi di apertura.

Système de portillons résistant aux chocs étudié pour l'installation de nos barrières de protections pour les zones piétons. Portillons conçus suivant un design innovant qui combine rapidité et simplicité pendant le montage et le nettoyage. Différents systèmes d'ouvertures disponibles.

Sistema de puertas antigolpe diseñadas para la instalación de nuestras barreras de protección para áreas peatonales. Diseñado según un diseño técnico innovador que une velocidad y simplicidad en las fases de instalación y limpieza. Están disponibles varios sistemas de apertura.




DOOR PEDESTRIAN 90




DP 90 ONE WAY

Packing Colour **to be defined**
M P




Equipped with accessories




DP 90 SWING

Packing Colour **to be defined**
M P




Equipped with accessories



DP 90 SWING DOUBLE


Packing Colour **to be defined**
M P



Equipped with accessories




DOOR PEDESTRIAN 150




DP 150 ONE WAY

Packing Colour **to be defined**
M P




Equipped with accessories




DP 150 SWING

Packing Colour **to be defined**
M P




Equipped with accessories



DP 150 SWING DOUBLE

Packing Colour **to be defined**
M P



Equipped with accessories



LIFT GATE 90



DIFFERENT
SIZES ON
REQUEST

NEW

LIFT GATE 90 DOUBLE



DOUBLE GATE



LIFT GATE 90

Equipped with accessories

Packing
Colour

to be defined
M P




LIFT GATE 90 DOUBLE

Equipped with accessories

Packing
Colour

to be defined
M P



LIFT GATE 150



DIFFERENT
SIZES ON
REQUEST

NEW

LIFT GATE 150 DOUBLE



DOUBLE GATE



LIFT GATE 150

Equipped with accessories

Packing
Colour

to be defined
M P



LIFT GATE 150 DOUBLE

Equipped with accessories

Packing
Colour

to be defined
M P



07

LINK

The first adaptable barrier in the world thanks to the new connection system. Rail adjustable height, easy to set up, higher resistance in the most critical points.

Prima barriera al mondo regolabile a piacimento con nuovo sistema di raccordo. Altezza regolabile, facilmente componibili e resistenza potenziata nei punti più critici.

Première barrière au monde à modifier aux besoins avec un nouveau système de jonction. Hauteur à changer, facile à assembler et résistance renforcée aux points plus compliqués.

Primera barrera del mundo ajustable según lo necesario con un nuevo sistema de ajuste. Altura ajustable, fácilmente componibles y resistencia potenciada en los puntos más críticos.

**NEW
PRODUCT**



**ADAPTABLE
HEIGHT**
↕
**ON YOUR
NEEDS**



LINK 150/3



Link
**DIFFERENT
SIZES ON
REQUEST**


**M12
GALVANISED STEEL**



LINK 150/3

Equipped with accessories

Packing
Colour **unpacked on pallet**
B M




**LINK 150/3
CORNER**


**External Corners
available**

Equipped with accessories

Packing
Colour **unpacked on pallet**
B M



LINK 150/2



LINK 150/2

Equipped with accessories

Packing Colour **unpacked on pallet**
B M




LINK 150/2 CORNER

External Corners available

Equipped with accessories

Packing Colour **unpacked on pallet**
B M



LINK 150/1



LINK 150/1

Equipped with accessories

Packing Colour **unpacked on pallet**
B M




LINK 150/1 CORNER

External Corners available

Equipped with accessories

Packing Colour **unpacked on pallet**
B M



LINK LM



DIFFERENT
SIZES ON
REQUEST



M12
GALVANISED STEEL




LINK LM 500
800

Equipped with accessories

Packing
Colour

B M

unpacked on pallet



LINK LM
CORNER


External Corners
available

Equipped with accessories

Packing
Colour

B M

unpacked on pallet




LINK SINGLE



DIFFERENT
SIZES ON
REQUEST



M12
GALVANISED STEEL




LINK SINGLE 500
800

Equipped with accessories

Packing
Colour

B M

unpacked on pallet



LINK SINGLE
CORNER


External Corners
available

Equipped with accessories

Packing
Colour

B M

unpacked on pallet



NOW READY
NEW OPTIONS FOR
OUR **SAFETY BARRIERS**
AND **RACK PROTECTORS**



AVAILABLE FOR:
LINK / SM / LM / FENCE
HR 90 / PED 90 / PED 150



08


BFLEX

A new safety protection system with reinforced profile. It is a more flexible and shock-absorber solution. Designed to ensure high safety standards and to resist impacts from heavy loads. Available in many different versions.

Nuovo sistema di protezioni con profilo rinforzato, doppiamente flessibile e assorbente. Progettato e realizzato con un particolare design per garantire alti livelli di sicurezza e resistere all'impatto da carichi pesanti. Disponibile in diverse versioni.

Nouveau système de protection avec profil renforcé, doublement flexible et absorbant. Conçu et produit avec un design particulier pour assurer des niveaux élevés de sécurité et résister à l'impact des charges lourdes. Disponible en plusieurs versions.

Nuevo sistema de protección con perfil reforzado, más flexible y capaz de absorber los impactos. Diseñado para asegurar el entorno laboral y para resistir a los impactos de cargas pesadas. Disponible en diferentes versiones.




BFLEX.FRONT/1



BFLEX.FRONT/1 1100x450
BFLEX.FRONT/1 2400x450

Length
Packing
Colour
M


1.100 / 2.400 mm
unpacked on pallet



BFLEX.FRONT/1 2000x450
MODULAR

Packing
Colour
M

unpacked on pallet




BFLEX.FRONT/2



BFLEX.FRONT/2 1100x1100
BFLEX.FRONT/2 2400x1100

Length
Packing
Colour
M


1.100 / 2.400 mm
unpacked on pallet




BFLEX.FRONT/2 2000x1100
MODULAR

Packing
Colour
M


unpacked on pallet





BFLEX.COM/1 1100x450
BFLEX.COM/1 2400x450

Length
Packing
Colour
unpacked on pallet
M




BFLEX.COM/1 2000x450
MODULAR

Corners available


Equipped with accessories

Packing
Colour
unpacked on pallet
M



BFLEX.COM/2 1100x1100
BFLEX.COM/2 2400x1100

Length
Packing
Colour
unpacked on pallet
M




BFLEX.COM/2 2000x1100
MODULAR

Corners available

Equipped with accessories

Packing
Colour
unpacked on pallet
M



09

COLUMN PROTECTION

A new bumper system specific for the protection of the columns resistant against trolleys movements and for different load types. Designed by following an innovative technical design that combines speed and simplicity in the steps of installation and cleaning. Available in different heights and fixing systems.

Sistema di profili specifico per la protezione delle colonne dai carrelli in movimento di varie portate. Progettato seguendo un innovativo disegno tecnico che coniuga rapidità e semplicità nella fasi di installazione e pulizia. Disponibile in diverse altezze e tipologie di fissaggio.

Nouveau système bumper, spécifique pour protéger les poutres contre les mouvements des chariots. Étudié avec un modern dessin qui regroupe la rapidité et la facilité pendant l'installation et le nettoyage. Disponible en différents hauteurs et différents fixations.

Sistema de perfiles específico para la protección de las columnas de los carros en movimiento de diferentes capacidades. Diseñado según un innovador diseño técnico que une velocidad y simplicidad en las fases de instalación y limpieza. Disponible en diferentes alturas y tipos de fijación.

- REMOVABLE
- NO SCRATCHES
- VERY SOLID AND SLIM DESIGN
- NO FIXING IS REQUIRED

NEW

MINI HUG TOWER

Column protection

DIFFERENT
SIZED AND
HEIGHT ON
REQUEST

COMPACT



**NO HOLES
ON THE FLOOR AND COLUMN!**


1100



MINI HUG TOWER

Packing Colour **to be defined**
M

Equipped with accessories



HUG TOWER 3 SIDES




DIFFERENT
SIZED ON
REQUEST

WALL FIXING
WITH S8FH
GALVANISED STEEL

COMPACT



NO HOLES
ON THE FLOOR AND COLUMN!



HUG TOWER 3 SIDES

Also 2 SIDES
available

Equipped with accessories

Packing
Colour **to be defined**
M



HUG TOWER



DIFFERENT
SIZED AND
HEIGHT ON
REQUEST


COMPACT



NO HOLES
ON THE FLOOR AND COLUMN!




CHOOSE THE
HEIGHT YOU NEED!



HUG TOWER

Equipped with accessories

Packing
Colour **to be defined**
M




TOWER PROTECTION



DIFFERENT
SIZED AND
HEIGHT ON
REQUEST



M12
GALVANISED STEEL



TOWER

Also 2/3 SIDES
available

Equipped with accessories

Packing
Colour

to be defined
B M



TOWER LINK



DIFFERENT
SIZED AND
HEIGHT ON
REQUEST



M12
GALVANISED STEEL



TOWER LINK/1



TOWER LINK/2



TOWER LINK/3

OPTIONS




TOWER LINK/1
TOWER LINK/2
TOWER LINK/3

Equipped with accessories

Packing
Colour


to be defined
B M



COLUMN PROTECTION 90



DIFFERENT SIZES ON REQUEST



M16
STAINLESS STEEL



COPRO 90

Also 2/3 SIDES available

Equipped with accessories

Packing Colour unpacked on pallet

B M



COLUMN PROTECTION 150



DIFFERENT SIZES ON REQUEST



SF20
STAINLESS STEEL



COPRO 150

Also 2/3 SIDES available

Equipped with accessories

Packing Colour unpacked on pallet

B M



10

DOOR FRAME PROTECTION

Protection system has been designed to prevent forklifts collisions with overhead infrastructure and gates and doors jambs. It is created to keep under control the passage of forklifts that exceed height limits, attracting the attention of drivers and inviting them to a more careful guide. Useful to protect gates, loading docks or overhead assets. Available in different lengths.

Sistema di protezione ideato per prevenire le collisioni dei carrelli elevatori in movimento con le infrastrutture sopraelevate e gli stipiti di porte e portoni. Limita il passaggio di carrelli che superano i limiti di altezza, attirando l'attenzione dei carrellisti e invitandoli ad una guida più accorta. L'installazione è consigliata in prossimità di portoni, baie di carico o di attrezzature sospese. Disponibile in diverse lunghezze.

Systèmes de protection conçus pour prévenir les collisions des chariots élévateurs en mouvement avec les infrastructures en hauteur et les montants des portes. Utiles pour empêcher le passage des chariots élévateurs qui dépassent les limites d'hauteur, pour attirer l'attention des conducteurs et de les habituer à faire plus attention à la conduite des chariots. C'est installé en proximité des bords des portes, quais de chargement et infrastructures suspendues. Disponible en plusieurs longueurs.

Sistema de protección diseñado para evitar la colisión de carretillas elevadoras en movimiento con infraestructuras, instalaciones elevadas y marcos de puertas industriales. Diseñada para limitar el paso de las carretillas que superan los límites de altura, llamando la atención de los conductores de montacargas e invitándoles a conducir con más cuidado. Se recomienda su instalación cerca de puertas industriales, muelles de carga o equipos suspendidos. Disponible en varias longitudes.

Door frame protection


WARNING BAR



WBAR

Equipped with accessories

Length 2000 / 3000 mm
Packing to be defined
Colour M




WARNING BAR / INFORMATION SIGN



WBIS

Equipped with accessories


Length 2000 / 3000 mm
Packing to be defined
Colour M



WARNING BAR / LIGHT & SOUND



102dB




UP TO 70.000 IMPACTS!



WBLS

Equipped with accessories

Length 2000 / 3000 mm
Packing to be defined
Colour M




FULL FRAME SELF STANDING



DIFFERENT SIZES ON REQUEST


FAST AND EASY TO INSTALL

NEW BIGGER PLATES!



FFB SELF STANDING

Packing Colour **to be defined**
M



Equipped with accessories



FULL FRAME WALL FIXING



DIFFERENT SIZES ON REQUEST

FAST AND EASY TO INSTALL

WALL FIXING ACCESSORIES



FFB WALL FIXING

Packing Colour **to be defined**
M



Equipped with accessories



11

LOADING BAY PROTECTION

Loading bays protections are shock-proof solutions which are set up near loading doors. They avoid possible slipping, falling and flipping of moving vehicles near open and unmanned loading bays.

Sistema di protezione antiurto installato in prossimità delle porte di carico. Permettono di evitare situazioni ad alto rischio di scivolamento, caduta e ribaltamento dei mezzi in movimento in presenza di baie di carico aperte e non presidiate.

Système de protection contre les chocs installé près des portes de chargement. Ils permettent d'éviter des situations en raison du risque élevé de glissement, de chute et de basculement des véhicules en mouvement en présence de quais de chargement ouverts et sans surveillance.

La protección de muelles de carga es un sistema anticolidión que está cerca de las puertas de carga. Evitan los riesgos de deslizamiento, caída y derrocamiento los vehículos en movimiento cuando están cerca de los muelles de carga abiertos y no vigilados.



DOCK GATE




M12
GALVANISED STEEL



DOCK GATE L	2400-2600
DOCK GATE XL	2605-2800
DOCK GATE XXL	2805-3000

Equipped with accessories

Packing Colour to be defined
B M



12

WHEEL STOP

Solutions designed for the safety of loading and unloading zones in warehouses and parking areas. Ideal for conveying, stopping or positioning the vehicle in the parking area, or near a cargo bay.

Soluzioni progettate per la sicurezza delle zone di carico e scarico dei magazzini e dei parcheggi. Ideali per convogliare, fermare o posizionare il mezzo nell'area di parcheggio o in prossimità di una baia di carico.

Solutions conçues pour la sécurité des zones de chargement et de déchargement des entrepôts et parkings. Idéal pour transporter, arrêter ou positionner le véhicule dans l'aire de stationnement ou à proximité d'un quai de chargement.

Soluciones diseñadas para asegurar las zonas de carga y descarga de almacenes y aparcamientos. Ideal para transportar, detener o posicionar el vehículo en la zona de aparcamiento o cerca de un muelle de carga.

TRUCK LINE



DIFFERENT SIZES ON REQUEST



SF20 x 200
STAINLESS STEEL




TL	500	2000
	750	3000
	1000	4000
	1500	

Equipped with accessories

Packing Colour to be defined
B M




CAR STOP



CAR STOP

Packing to be defined



Fixing on requests




TRUCK STOP



TRUCK STOP

Packing to be defined



Fixing on requests



13


CABLE COVER

Floor cable protection system in soft material. Space-saving, resistant and easy-to-install cable cover. Suitable for work areas with pedestrian passage.

Sistema di protezione morbido a pavimento per cavi. Passacavi poco ingombrante, resistente e facile da posare. Adatto ad aree di lavoro con passaggio di pedoni.

Système de protection de sol souple pour câbles. Guide-câble peu encombrant, résistant et facile à installer. Convient aux zones de travail avec passage piéton.

Sistema de protección blando de suelo para los cables. Pasacables que ahorra espacio, es duradero y fácil de instalar. Adecuado para zonas de trabajo con tráfico peatonal.




CABLE COVER



CAB CO 10 - 20 - 10

Recycled Material

Length 1.000 / 3.000 mm - 10.000 mm
Packing 8 pz / box - 1 pz / box



14

CORNER PROTECTION

Designed to protect pillars and columns or external corners of walls and panels.

Realizzato per proteggere pilastri e colonne o angoli esterni di muri e pannelli.

Étudié pour protéger les poteaux et les colonnes ou les angles extérieurs de murs et de panneaux.

Realizado para proteger pilares y columnas o esquinas exteriores de paredes y paneles.



Corner Protection



CP 100

Length 4.000 mm
Packing 10 pz / box
Colour B M E F
Length 2.000 mm
Packing 10 pz / bag
Colour M



CPF 100

Length 4.000 mm
Packing 10 pz / bag
Length 2.000 mm
Packing 10 pz / bag



CPT 100

Packing 40 pz / box
Colour B E F



CP 200

Length 4.000 mm
Packing 2 pz / bag
Colour B M E
Length 2.000 mm
Packing 2 pz / bag
Colour M




CPF 200

Length 2.000 / 4.000 mm
Packing 2 pz / bag



CPT 200

Packing 20 pz box
Colour B E



15


KERB

A large size protection system, ideal for walls and panels. Easy to install and clean. Fully equipped with corner caps and buttons.

Sistema di protezione di grandi dimensioni, ideale per muri e pannelli. Facile da installare e pulire. Completo di angolari e tappi.

Système de protection de grands dimensions, idéal pour les murs et les panneaux. Facile à installer et à nettoyer. Complété de bouchons d'angles et d'embouts.

Sistema de protección de grande dimensión, ideal para paredes y paneles. Fácil de instalar y limpiar. Completo de esquinas y tapas.





KS 200


Length 4.000 mm
Packing 3 pz / box
Colour B M E



KEPF 200

To install with TB14


Packing 50 pz / box
Colour K



KSJ 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSI 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSE 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSTD/SX 200

To install with TB14 / TF14


Packing 20 pz / box
Colour B E



KSJ 200 LT

THERMAL
BREAK
RESISTANT

Packing to be defined
Colour K



KS 300


Length 4.000 mm
Packing 1 pz
Colour M E



KEPF 300

To install with TB20


Packing 40 pz / box



KSJ 300

To install with TB20 / TF20


Packing 10 pz / box
Colour B E



KSI 300

To install with TB20 / TF20


Packing 10 pz / box
Colour B E



KSE 300

To install with TB20 / TF20


Packing 10 pz / box
Colour B E



KSTD/SX 300

To install with TB20 / TF20

Packing 10 pz / box
Colour B E



16

WALL PROTECTION

New bumper without guides. Thanks to its big size and resistance it is ideal for protection of industrial spaces. Fixed caps with hidden screws covered by specific buttons.

Nuovo profilo antiurto senza guida. La sua ampiezza e resistenza lo rende ideale per la protezione di ambienti industriali. Terminali fissati con viti nascoste da appositi bottoni.

Nouveau profilé anti-choc sans besoin d'une base à fixer. Sa mesure large et sa résistance en font le profilé parfait pour la protection des espaces industriels. Embouts fixés avec des vis cachées grâce à des bouchons spécifiques.

Nuevo perfil antigolpe sin guía. Su amplitud y resistencia lo hacen ideal para la protección de entornos industriales. Terminales fijados con tornillos ocultos por botones especiales.




Wall Protection




WP 100

Length **4.000 mm**
Packing **8 pz / box**
Colour **B E F**



WP 150


Length **4.000 mm**
Packing **4 pz / box**
Colour **B M E**



WPC

To install with WP 100 / WP 150


Length **4.000 mm**
Packing **16 pz / box**
Colour **A B M D E F G H**



WPT 100

To install with TM5


Packing **50 pz / box**
Colour **B E F**



WPA 100

To install with TS9


Packing **20 pz / box**
Colour **B E**



WPT 150

To install with TM5

Packing **50 pz / box**
Colour **B E**



WPA 150

To install with TS9

Packing **20 pz / box**
Colour **B E**







WP 100

Length
Packing
Colour


4.000 mm
8 pz / box
B E F



WP 150

Length
Packing
Colour

4.000 mm
4 pz / box
B M E




WPCS

To install with WP 100 / WP 150



Length
Packing
Colour

4.000 mm
8 pz / box
A B M D E
F G H I




WPTS 100

To install with TS9

Packing
Colour

20 pz / box
B E




WPAS 100

To install with TS9

Packing
Colour

20 pz / box
B E




WPTS 150

To install with TS9

Packing
Colour

20 pz / box
B E





WPAS 150

To install with TS9

Packing
Colour

20 pz / box
B E



ASP 200



Length
Packing
Colour

4.000 mm
2 pz / box
B M




ASPT 200



Packing
Colour


10 pz / box
B D



ASA

Material
Length
Packing

aluminium
4.000 mm
8 pz / bundle



ASCO



Packing
Colour


2 pz / box
L = 32.000 mm
A B M D E






WALL HUG 1000
2000
3000
4000

Length 1000/2000/3000/4000
Packing unpacked
Colour M




WALL BFLEX 1000
2000
3000
4000

Length 1000/2000/3000/4000
Packing unpacked
Colour M



WALL BFLEX MODULAR

Packing unpacked
Colour M



NEWS




LOFT BARRIER
WORLD'S FIRST FIXED PROTECTION
SYSTEM FOR SUSPENDED AREAS



FLEXI LINE
CORNER BUMPER GUARDS



FENCE LINK
THE ADAPTABLE STRONGEST
SOLUTION FOR RACK-ENDS



Now available
CUSTOMISED RACK PROTECTOR,
new version of rack protector
processed upon request!

CUSTOMISED **RACK PROTECTOR**

Fixing accessories



M12 - M16
HILTI
Hole required Ø 12-16
Galvanized steel.



S12 - S12X150 - S16
HILTI
Hole required Ø 10-10-14
Galvanized steel.



B12 - B16 - B20
HILTI
Hole required Ø 22-28-32
Galvanized steel.



S8FH - S12FH
HILTI
Hole required Ø 6-10
Galvanized steel.
Countersunk.



SF12 - SF16 - SF20 INOX
Hole required Ø 14-18-24
Stainless steel.



M12 - M16 INOX
Hole required Ø 12-16
Stainless steel.



KIT ROD 70-120
HILTI
Hole required Ø 38-56
Galvanized steel.



KIT ROD 70-120 INOX
HILTI
Hole required Ø 38-56
Galvanized steel.



AA12 - AA16
Hole required Ø 22-22
Galvanized steel.
For asphalt.



ASPHALT CHEMICAL
CHEMICAL ANCHOR
385 ML



FR
HILTI CHEMICAL ANCHOR
300 ML



WIT NORDIC
CHEMICAL ANCHOR
420 ML
(Installation in working cold rooms
with negative temperatures)



MPM srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.

Fixing accessories



TM5
Hole required Ø 8.5
Neutral polyethylene. 100/500 Pcs. / bag.



TS9
Hole required Ø 5
White or grey nylon. 1000 Pcs. / bag.



TB14 - TB20
Hole required Ø 4-5
Steel / aluminium (white for Ø 4)
500 Pcs. / box.



TF14 - TF20
Hole required Ø 5-6.5
Aluminium. 500 Pcs. / box.



FIX P90
Galvanized steel and painted.



COVER 90 RE
Galvanized steel and painted.



FIX P90 INOX
Stainless steel.



FIX P150
Galvanized steel and painted.



COVER 150 RE
Galvanized steel and painted.



FIX P150 INOX
Stainless steel.



FIX P150 FH
Galvanized steel and painted.
Countersunk.



FULL FRAME BASE
Galvanized steel and painted.



SHOCK ABSORBER PAD
Soft material, optional for FIXP150.
(To be installed with S12x150)

Colours

A	B	D	E	F	G	H	I	K	L	M	P
RED RAL 3002	GREY RAL 7040	BLACK RAL 9005	WHITE RAL 9010	WHITE RAL 9002	BLUE RAL 5005	GREEN RAL 6029	SILVER RAL 9006	LIGHT GREY RAL 7035	DARK GREY RAL 7024	LIGHT YELLOW RAL 1018	ORANGE

MPM srl reserves the right, at any time, to introduce the necessary changes and improvements to its products.
Any small imperfection in the products and in the materials used are due to the processing method.
Any reproduction of this brochure, even in part, is forbidden.



SOME OF OUR REFERENCES



THE WORLD'S TOP **LOGISTICS**
PROFESSIONALS CHOOSE OUR
QUALITY MADE IN ITALY



OUR INSTALLATION



OUR INSTALLATION



OUR INSTALLATION



MPM states that:

The safety coefficient and consequent use of the products requires the compliance with the appropriate assembling and installation instructions as defined in the technical catalogue on the corporate website **www.mpmprotections.com**. Therefore, before buying and installing MPM solutions please consult the technical data sheet of each product in the technical catalogue available on **www.mpmprotections.com**

Impact resistances indicated in the brochure, or in other documents, refer to laboratory tests and cannot take into account consequences determined by installation methods or peculiarities of the place where the products are installed (in an operational environment vehicle type, speed and mass, routes, angles of impact, ground and anchorage are variable and uncontrolled conditions that no test can replicate); the data refers to an intact product which length is indicated on the test report and it can be affected by alterations from incorrect maintenance, wear and tear, as well as the methods and characteristics of installation (with specific reference to floor-mounted products); the weight, dimensions, colours and characteristics of the material refer to the sample and the conformity with the latter of the product supplied will be subject to normal production tolerance. The product may be affected by environmental installation conditions.

The standard operating temperature of MPM flexible protections is generally from +5 °C to +60 °C. For installations in low temperature environments up to -30 °C an alternative material should be required. The fastness of the colour and its brightness depend on wear and tear and weather conditions that can affect its intensity over time. For outdoor applications exposed to direct sunlight it is possible to choose the grey colour.

Images in the brochure are for advertising purposes only and do not in any way represent how the products should be used.

Full version of MPM products warranty available on corporate website **www.mpmprotections.com**





MADE IN
ITALY



ALWAYS
DYNAMIC



M.P.M. s.r.l.
Via Europa 2
35010 Fratte
di S. Giustina in Colle
Padova · Italy

T +39 049 9301773
F +39 049 9300427
info@mpmpvc.com
mpmprotections.com



Reseller
Profensa BV

+32 473 791 160 - Joris
+32 477 239 641 - Yves
info@profensa.be
www.profensa.be

NOVEMBER 2021